



CARDIO AND ENDURANCE

A COMPREHENSIVE RANGE OF TRAINING EQUIPMENT

Treadmills | Exercise Bikes | Ellipticals | Rowers | Ski

www.Bullrockfitness.com | sales@Bullrockfitness.com

Airbike Vayu1

SPECIFICATIONS



Max User Weight
150KG



Brake
Fan Flywheel



Drive
Belt + Chain Dual



Monitor
JSD-10421



Saddle
KS-9068



Pedals
Aluminium JD-304V



Settings
Saddle - Horizontal + Vertical



Handle Bar
Dipped



Handle Bar / Saddle Post Material
Aluminium



Net Weight
54KG

Assembly Size (LxWxH): 1315x610x1270mm



Bullrock

Airbike Vayu3

SPECIFICATIONS



Max User Weight
150KG



Brake
Fan Flywheel



Drive
Belt + Belt Dual



Monitor
JSD-10421



Saddle
KX98-7



Pedals
Aluminium JD-304V



Settings
Saddle - Horizontal + Vertical



Handle Bar
Dipped



Handle Bar / Saddle Post Material
Aluminium



Net Weight
59KG

Assembly Size (LxWxH): 1330x767x1325mm



Smart Comparison Chart

Picture		
Model	Airbike Vayu1	Airbike Vayu3
Price (Ex GST)	₹ 46,602	₹ 60,161
Drive	Belt + Chain Dual	Belt + Belt Dual
Handle Bar	Standard 	MultiGrip 
Front Air Vent	No 	Yes & Adjustable 
Saddle Knob	Standard 	Knurled 
Saddle	KS-9068 	KX98-7 
Brake	Fan Flywheel	Fan Flywheel
Monitor	JSD-10421	JSD-10421
Metrics	Distance, Speed, Time, Calories	Distance, Speed, Time, Calories
Pedals	Aluminium JD-304V	Aluminium JD-304V
Settings	Saddle - Horizontal + Vertical	Saddle - Horizontal + Vertical
Handle Bar	Dipped	Dipped
Handle Bar / Saddle Post Material	Aluminium	Aluminium
Max User Weight	150KG	150KG
Net Weight	54KG	59KG
Assembly Size (LxWxH)	1315x610x1270mm	1330x767x1325mm

Air Rower Vayu7

SPECIFICATIONS

↔ Total Rower Length
2420mm

↔ Overall Width
620mm

🪑 Seat Height
379mm

Rail Type
Monorail

↔ Rail Length
1190mm

🔗 Chain Material
Stainless Steel Chain

🛡️ Chain Case
Partially Covered

🌀 Flywheel And Damper
Resistance generated by Fanned Flywheel & Spiral Damper with 10 adjustable settings

🔋 Display Power Requirement
Operates on D cell battery pair powered by spinning flywheel during indoor use














Note: The picture provided is a graphical illustration of a product. The catalog will soon include actual pictures of the original product.

Bullrock

Air Rower Vayu7

SPECIFICATIONS

-  Display Height
Adjustable via Pivots
-  Legs Construction Material
Plastic
-  Display Holder Material
Plastic
-  Footrest
Adjustable
-  Finish
Black Powder Coat
-  Compact Storage
Framelock Mechanism enabling quick split into 2 sections
-  Mobility
Caster Wheels
-  Footprint
2420x620mm
-  Net Weight
28KG
-  Max User Weight
227KG
-  Warranty
1 year



Note: The picture provided is a graphical illustration of a product. The catalog will soon include actual pictures of the original product.

Bullrock

Air Ski Vayu9

SPECIFICATIONS

↔ Total Rower Length
4060mm

↕ Upper Width
634mm

↔ Lower Width
620mm

↕ Total Height
2140mm

🌀 Drive Cords
High Strength yet Lightweight for smooth movement

🌀 Flywheel And Damper
Resistance generated by Fanned Flywheel & Spiral Damper with 10 adjustable settings

🔋 Display Power Requirement
Operates on D cell battery pair powered by spinning flywheel during indoor use

🖱️ Handles
Strapless and requires no adjustment




Note: The picture provided is a graphical illustration of a product. The catalog will soon include actual pictures of the original product.


Bullrock


Air Ski Vayu9


SPECIFICATIONS

 Frame Construction Material
Steel


 Finish
Black Powder Coat


 Storage
Wall Mounted or Floor Stand

 Foot Stand Dimensions
1300x620mm

 Foot Stand Weight
10KG

 Net Weight
48.7KG

 Max User Weight
300KG

 Warranty
1 year



Note: The picture provided is a graphical illustration of a product. The catalog will soon include actual pictures of the original product.

Bullrock

Air Cycle Vayu5

SPECIFICATIONS

↔ Total Length
1280mm

↔ Total Width
880mm

🚲 Seat Height
790mm to 1020mm

🚲 Drive
Belt

🚲 Flywheel And Damper
Resistance depends on the speed of the ride

🔋 Display Power Requirement
Operates on D cell battery pair powered by spinning flywheel during indoor use



Note: The picture provided is a graphical illustration of a product. The catalog will soon include actual pictures of the original product.

Bullrock

Air Cycle Vayu5

SPECIFICATIONS



Adjustment
**Saddle - Upwards And Downwards,
Forward And Backwards
Handle - Forward And Backwards**



Frame Construction Material
Steel



Feet Construction Material
Aluminium



Footprint
1280x880mm



Finish
**Powder Coat in Black with Grey
Anodized Posts**



Net Weight
50KG



Max User Weight
150KG



Warranty
1 year



Note: The picture provided is a graphical illustration of a product.
The catalog will soon include actual pictures of the original product.

Bullrock

SPECIFICATIONS



Console & Metrics

Large LCD screen displays 7 workout modes including 20/10, 20/10, custom intervals, 4 target settings.



Brake
Manual



Resistance

0-4 level intensity control




Running Area

1600x440mm



Folding

NO



Wheels

Two integrated PA wheels for smooth transportation.




Max User Weight

150KG



Water Bottle Holder

Yes



No Power Required

Unlimited Speed



Operations

Manual



Net Weight

128KG

Assembly Size (LxWxH): 1720x810x1700mm

Curved Treadmill

AshwaX7



Bullrock

SPECIFICATIONS



Console & Metrics

Large LCD screen displays 7 workout modes including 20/10, 20/10, custom intervals, 4 target settings.




Brake
Manual



Resistance

0-4 level intensity control




Running Area

1600x480mm



Folding
NO



Wheels

Two integrated PA wheels for smooth transportation.



Max User Weight

150KG




Water Bottle Holder

Yes



No Power Required

Unlimited Speed



Operations

Manual



Net Weight

133KG





Assembly Size (LxWxH): 1720x850x1610mm

Curved Treadmill AshwaX11



Bullrock

Smart Comparison Chart

Picture		
Model	Treadmill AshwaX7	Treadmill AshwaX11
Price (Ex GST)	₹ 184,737	₹ 220,331
Running Surface (Slat)	Thermoplastic Elastomer Slats	Rubber on Aluminum T-section Slat
Running Area	1600×440mm	1600×480mm
Handle Bar	Standard 	MultiGrip 
Display	LCD Display with Group / Circuit Mode	LCD Display with Group / Circuit Mode
Metrics	Distance, Speed, Time, Calories, Heart Rate	Distance, Speed, Time, Calories, Heart Rate
Resistance	0-4 level intensity control	0-4 level intensity control
Power Supply	Not Required	Aluminium JD-304V
Max Speed	Unlimited	Unlimited
Max User Weight	150KG	150KG
Net Weight	128KG	133KG
Assembly Size (LxWxH)	1720x810x1700mm	1720x850x1610mm

Commercial Treadmill AshwaX1

SPECIFICATIONS




Motor
3.0HP PWM PV:7.0HP AC



Console & Metrics
LED display monitor with MP3, USB, FAN, Display Time, Speed, Distance, Heart Rate, Calorie and Program-set.



Motor Incline
0-18° incline



Speed Range
0.8-20km/h



Program
12 Groups of Speed Preset Programs



Folding
NO



Running Area
1550x580mm



Key Feature
LED Running Lights



Max User Weight
180KG



Net Weight
159KG

Assembly Size (LxWxH): 2090x876x1625mm



Bullrock

Commercial Treadmill AshwaX3

SPECIFICATIONS



Motor
3.0HP PWM PV:7.0HP AC



Console & Metrics
LED display monitor with MP3, USB, FAN, Display Time, Speed, Distance, Heart Rate, Calorie and Program-set.



Motor Incline
0-21° incline



Speed Range
0.8-20km/h



Program
12 Groups of Speed Preset Programs



Folding
NO



Running Area
1550x585mm



Key Feature
Extra Protection Handles



Max User Weight
180KG



Net Weight
217KG

Assembly Size (LxWxH): 2085x951x1650mm



Commercial Treadmill AshwaX5

SPECIFICATIONS



Motor
3.0HP PWM PV:7.0HP AC



Console & Metrics
LED display monitor with MP3, USB, FAN, Display Time, Speed, Distance, Heart Rate, Calorie and Program-set.




Motor Incline/Decline
Decline -3° to 18° Incline




Speed Range
0.8-22km/h



Program
12 Groups of Speed Preset Programs



Folding
NO



Running Area
1630x600mm



Key Feature
Aluminium Alloy & Steel Metal Frame



Max User Weight
200KG



Net Weight
238KG

Assembly Size (LxWxH): 2210x1020x1630mm



Smart Comparison Chart

Picture			
Model	Treadmill AshwaX1	Treadmill AshwaX3	Treadmill AshwaX5
Price (Ex GST)	₹ 114,822	₹ 141,517	₹ 169,059
Power HP	3	3	3
Peak Power	7	7	7
Motor Incline	0-18° Incline	0-21° Incline	Decline -3° to 18° Incline
Speed Range	0.8-20km/h	0.8-20km/h	0.8-22km/h
Key Feature	LED Running Lights	Extra Protection Handles	Auto Lubrication
Console & Metrics	LED Display Monitor with MP3, USB, FAN, Display Time, Speed, Distance, Heart Rate, Calorie And Program-Set.	LED Display Monitor with MP3, USB, FAN, Display Time, Speed, Distance, Heart Rate, Calorie And Program-Set.	LED Display Monitor with MP3, USB, FAN, Display Time, Speed, Distance, Heart Rate, Calorie And Program-Set.
Structure	Steel Metal Frame	Steel Metal Frame	Aluminium Alloy Frame
Running Area	1550×580mm	1550×585mm	1630×600mm
Max User Weight	180KG	180KG	200KG
Net Weight	162KG	217KG	257KG
Assembly Size (LxWxH)	2090x876x1625mm	2083x951x1649mm	2256x1022x1679mm

Spin Bike Chakra S1

SPECIFICATIONS



Max User Weight
150KG



Flywheel Weight
20KG



Brake
Friction Pad



Drive
Belt



Saddle
KS-9068



Pedals
Aluminium JD-304V



Settings
Saddle - Horizontal + Vertical
Handle Bar - Vertical



Handle Bar
Dipped



Handle Bar / Saddle Post Material
Aluminium



Net Weight
55KG

Assembly Size (LxWxH): 1280x530x1127mm



Bullrock

Spin Bike Chakra S3

SPECIFICATIONS



Max User Weight
150KG



Flywheel Weight
20KG



Brake
Magnetic



Drive
Belt



Saddle
KS-9068



Pedals
Aluminium JD-304V



Settings
Saddle - Horizontal + Vertical
Handle Bar - Vertical



Handle Bar
Dipped



Handle Bar / Saddle Post Material
Aluminium



Net Weight
60KG

Assembly Size (LxWxH): 1360x610x1240mm



Bullrock

SPIN BIKE CHAKRA S5

SPECIFICATIONS



Max User Weight
150KG



Flywheel Weight
20KG



Brake
Magnetic



Drive
Belt



Monitor
ST-6519



Saddle
KS-9068



Pedals
JD-304V SPD



Settings
Saddle - Horizontal + Vertical
Handle Bar - Horizontal + Vertical



Handle Bar
Dipped



Handle Bar / Saddle Post Material
Aluminium






Net Weight
67KG

Assembly Size (LxWxH): 1525x620x1355mm



Bullrock

Smart Comparison Chart

Picture			
Model	Spin Bike Chakra S1	Spin Bike Chakra S3	Spin Bike Chakra S5
Price (Ex GST)	₹ 30,924	₹ 46,602	₹ 57,619
Brake	Friction Pad	Magnetic	Magnetic
Drive	Belt	Belt	Belt
Monitor	NA	NA	ST-6519
Metrics	NA	NA	Distance, Speed, Time, Calories
Flywheel Weight	20	20	20
Flywheel Position	Front	Front	Rear
Saddle	KS-9068	KS-9068	KS-9068
Pedals	Aluminium JD-304V	Aluminium JD-304V	JD-304V SPD
Settings	Saddle - Horizontal + Vertical Handle Bar - Vertical	Saddle - Horizontal + Vertical Handle Bar - Horizontal + Vertical	Saddle - Horizontal + Vertical Handle Bar - Horizontal + Vertical
Handle Bar	Dipped	Dipped	Dipped
Handle Bar / Saddle Post Material	Aluminium	Aluminium	Aluminium
Max User Weight	150KG	150KG	150KG
Net Weight	55KG	60KG	67KG
Assembly Size (LxWxH)	1280x503x1127mm	1360x610x1240mm	1525x620x1355mm

Elliptical Chakra E3

SPECIFICATIONS



Functions
**Time, Speed, Distance, Calories,
Pulse, RPM, Manual mode**



Pre-Set Programs
**Manual, Interval, Weight Loss,
Target Heart Rate, Fit Test, Random,
Warm Up and Warm Down, etc**



Power Supply
Self-Generator



Key Feature
Rear Incline - 5 Levels




Size for Screen and Console
**150×100mm
LED 5 Windows With Dot Matrix**



Pulse
Hand Pulse



Resistance
10 Levels



Stride Length
20"



Bullrock

Elliptical Chakra E3

SPECIFICATIONS



Flywheel
7KG



Crank Arm
3 Pcs



Water Bottle Cage
Yes



Handle Bar Cover
Foam



For Portability
2 PU Wheels



Max User Weight
150KG



Net Weight
85KG

Assembly Size (LxWxH): 1721x724x1637mm



Bullrock

Elliptical Chakra E7

SPECIFICATIONS



Functions
**Time, Speed, Distance, Calories,
Pulse, RPM, Manual mode**




Pre-Set Programs
**Manual, Interval, Weight Loss,
Target Heart Rate, Fit Test, Random,
Warm Up and Warm Down, etc**



Power Supply
Self-Generator



Key Feature
Compact Design



Size for Screen and Console
**440×340mm
LED 5 windows with dot matrix**



Pulse
Hand Pulse



Resistance
32 Levels




Stride Length
19"





Elliptical Chakra E7


SPECIFICATIONS


 Flywheel
14.2KG, Two-Way Flywheel


 Crank Arm
3 Pcs

 Water Bottle Cage
Yes

 Mobile/Ipap Holder
Yes

 Handle Bar Cover
Dipped

 For Portability
2 PU Wheels

 Max User Weight
150KG

 Net Weight
99KG

Assembly Size (LxWxH): 1580x630x1700mm



Bullrock

Elliptical Chakra E9

SPECIFICATIONS



Functions

Time, Speed, Distance, Calories, Pulse, RPM, Manual mode



Pre-Set Programs

Manual, Interval, Weight Loss, Target Heart Rate, Fit Test, Random, Warm Up and Warm Down, etc



Power Supply

Self-Generator



Key Feature

Unmatched Stability



Size for Screen and Console

330×300mm

LED 5 windows with dot matrix



Pulse

Hand Pulse



Resistance

20 Levels



Stride Length

21"



Elliptical Chakra E9

SPECIFICATIONS



Flywheel
12KG



Crank Arm
Disc Type



Water Bottle Cage
Yes



Handle Bar Cover
Dipped



For Portability
2 PU Wheels



Max User Weight
150KG









Net Weight
140KG

Assembly Size (LxWxH): 2020x750x1740mm



Smart Comparison Chart

Picture			
Model	Elliptical Chakra E3	Elliptical Chakra E7	Elliptical Chakra E9
Price (Ex GST)	₹ 67,788	₹ 81,347	₹ 123,720
Functions	Time, Speed, Distance, Calories, Pulse, RPM, Manual mode	Time, Speed, Distance, Calories, Pulse, RPM, Manual mode	Time, Speed, Distance, Calories, Pulse, RPM, Manual mode
Display			
Pre-Set Programs	Manual, Interval, Weight Loss, Target Heart Rate, Fit Test, Random, Warm Up and Warm Down, etc	Manual, Interval, Weight Loss, Target Heart Rate, Fit Test, Random, Warm Up and Warm Down, etc	Manual, Interval, Weight Loss, Target Heart Rate, Fit Test, Random, Warm Up and Warm Down, etc
Power Supply	Self-Generator	Self-Generator	Self-Generator
Key Feature	Rear Incline - 5 Levels	Compact Design	Unmatched Stability
Size for screen and console	150×100mm LED 5 windows with dot matrix	440×340mm LED 5 windows with dot matrix	330×300mm LED 5 windows with dot matrix
Pulse	Hand Pulse	Hand Pulse	Hand Pulse
Resistance	10 Levels	32 Levels	20 Levels
Stride Length	20"	19"	21"
Flywheel	7KG	14.2KG, Two-Way Flywheel	12KG
Crank Arm	3 Pcs	3 Pcs	Disc Type
Water Bottle Cage	Yes	Yes	Yes
Handle Bar Cover	Foam	Dipped	Dipped
For Portability	2 PU wheels	2 PU wheels	2 PU wheels
Max User Weight	150KG	150KG	150KG
Net Weight	85KG	99KG	141KG
Assembly Size (LxWxH)	1721x724x1637mm	1580x630x1700mm	2020x750x1740mm

Upright Bike Chakra U3

SPECIFICATIONS

Max User Weight
135KG

Flywheel Weight
6KG

Brake
Magnetic

Drive
Belt

Monitor
ST-6572

Saddle
DD-004

Pedals
Plastic JD-45A

Settings
Saddle - Horizontal + Vertical

Handle Bar
Foam

Handle Bar / Saddle Post Material
Alloy Steel

Net Weight
33.5KG

Assembly Size (LxWxH): 985x510x1475mm



Bullrock

Upright Bike Chakra U11

SPECIFICATIONS



Computer Function
Time, distance, calories, speed,
resistance level, watts, pulse,
profile, fan, mp3



Pre-Set Programs
Manual, interval, weight loss, target
heart rate, fit test, random, warm up
and warm down, etc total 12 programs



Size for Screen and Console
340x440mm
LED with dot matrix



Max User's Weight
150KG



System
GMS



Pulse
Hand Pulse



Resistance
20 Levels



Upright Bike Chakra U11

SPECIFICATIONS



Power Supply
Self-Generator



Flywheel
15KG



Crank Arm
175mm



Water Bottle Cage
Yes



Mobile/Ipad Holder
Yes



USB Charger
Yes



MP3 Socket + Speakers
Yes



Fan
Yes



Net Weight
61.5KG

Assembly Size (LxWxH): 1200x590x1510mm



Recumbent Bike Chakra R11


SPECIFICATIONS



Computer Function
Time, distance, calories, resistance level, watts, pulse, speed, profile, fan, mp3



Pre-Set Programs
Manual, interval, weight loss, target heart rate, fit test, random, warm up and warm down, etc total 12 programs



Size for Screen and Console
340x440mm
LED with dot matrix



Max User's Weight
150KG



System
GMS



Pulse
Hand Pulse



Easy Button On Handle Bar
Yes












Resistance
20 Levels



Recumbent Bike Chakra R11

SPECIFICATIONS

-  Power Supply
Self-Generator
-  Flywheel
15KG
-  Crank Arm
175mm
-  Water Bottle Cage
Yes
-  Mobile/Ipad Holder
Yes
-  USB Charger
Yes
-  MP3 Socket + Speakers
Yes
-  Fan
Yes
-  Net Weight
80KG

Assembly Size (LxWxH): 1615x710x1390mm



Bullrock

SPECIFICATIONS

Max User Weight
125KG

Flywheel Weight
13KG

Brake
Friction Pad

Drive
Belt

Monitor
TE-3032

Saddle
DD-2681

Pedals
Plastic (JD-301 9/16")

Settings
Saddle - Horizontal + Vertical
Handle Bar - Vertical

Handle Bar
Foam

Handle Bar / Saddle Post Material
Alloy Steel

Net Weight
32KG

Assembly Size (LxWxH): 1135x480x1159mm

Home Spin Bike Chakra H1



Bullrock